

securAcath®

Introducing the New Superhero of Catheter Securement



Protecting
Pediatric
Patients for the
Life of the Line™



interrad
MEDICAL

SecurAcath® provides improved catheter securement for the life of the line

- Reduces risk of catheter-related infections
- Decreases catheter dislodgements and migrations
- Prevents therapy interruption
- Improves vessel health and preservation
- Lowers total cost of patient care

Reduces Risk of Catheter-related Infections

- University of Arkansas for Medical Sciences (UAMS) analyzed 7,779 patients over four years of Central Line Associated Bloodstream Infection (CLABSI) data¹
- Analysis compared outcomes of patients whose PICCs were secured with a the SecurAcath to those secured with an adhesive device
- Study found a substantial difference in relative risk among securement devices¹
- Adhesive device had a 288% increase in risk of CLABSI compared to SecurAcath¹

Dramatically Decreases Catheter Dislodgement

- Catheter dislodgement defined as accidental removal or movement that resulted in loss of function
- SecurAcath clinical data publications show very low dislodgement rates of 0–1.6%²⁻⁶
- Adhesive securement devices have published dislodgement rates of 7-12%⁷⁻¹⁰
- Many accidental dislodgements occur during dressing changes when catheter is not secured
- Decreased catheter replacement costs
 - PICC replacement cost is approximately \$500 at bedside, \$1000 in IR¹¹, \$1200 in pediatrics

Prevents Catheter Movement

- Catheter movement at the insertion site can introduce bacteria beneath the skin¹²
- Improved stability may promote healing at insertion site which acts as a natural barrier to infection
- May reduce phlebitis, thrombosis and infection

Improves Efficiency

- One SecurAcath secures for the life of the line
- Catheter remains secure during dressing changes
- Saves time during routine dressing changes
 - Dressing change can be done 3-5 minutes faster
- Allows for easy catheter repositioning if catheter tip must be pulled back

Allows 360 Degree Site Cleaning While Secured

- Excellent cleaning access around the entire insertion site
- Catheter remains stable and secure during cleaning
- Improved stability and cleaning may help reduce infections

Eliminates Suture Needle Sticks

- Eliminates costly suture needle stick risk
- Average cost of needle stick injury is \$825¹³⁻¹⁶
- There are over 92,000 suture needle stick injuries to healthcare workers in the U.S. each year¹⁷



FOLD




INSERT



SNAP



CLEAN



Effective in a Wide Range of Applications

- SecurAcath has demonstrated its effectiveness at securing catheters in a variety of applications including tunnelled and non-tunnelled venous catheters, external ventricular or spinal CSF drains, chest and other general drains in neonates as young as 32 weeks.¹⁸
- Protecting our youngest patients from premature line replacements, adhesive or suture related skin tears and infection is key to achieving the desired outcomes from these percutaneous catheters.¹⁹⁻²²



FEMORAL



CHEST TUBES



CSF VENTRICULAR
DRAINS



IJ TUNNELED




NON TUNNELED



"Adoption of SecurAcath in paediatric neurosurgery is an egg of Columbus. It is effective and safe in children and even in premature babies. Indeed, the subcutaneous securement eliminated the risk of dislodgment of CSF external drainages, either ventricular or spinal, and significantly reduced the risk of secondary infection, allowing a proper disinfection of the exit site. Consequently, our department completely abandoned sutures and other methods of securement and techniques to secure CSF drainages to the skin."

– Dr. Paolo Frassanito - Neurosurgeon, MD, PhD
Pediatric Neurosurgery
Fondazione Policlinico Universitario Agostino Gemelli IRCCS
Rome, Italy



"Before the introduction of the subcutaneously sutureless stabilization system as a mean to anchor the thoracic catheter in neonates, these patients were forced to position various devices as they were easily dislodged, compromising their conditions, causing pain and stress, increasing risk of complications and prolonging their hospitalization time. Our main goal in assisting these critical patients was and is providing and granting an efficient securement of a pivotal device such as the thoracic catheter. We succeeded only when we decided to try and use a different method of securement never utilized in neonates before: Securacath®. In our experience the dressing changes of the thoracic catheter became easier since we started to use Securacath®. The antisepsis of the exit site can be done all around it, at 360° without fearing of dislodgement. It keeps the catheter securely anchored leaves the exit site always visible, easy to inspect, and clean. The subcutaneously sutureless system Securacath® for the securement of thoracic catheters in neonates has proved to be highly efficient, safe, comfortable and, last but not least, cost-efficient."

– Dr Carmen Rodriguez - Consultant Neonatal & Paediatrics
Maria Grazia Romitti - Neonatal Intensive Care Nurse
Dr Elena Pezotti, Neonatologist - NICU, Childrens' Hospital
ASST Spedali Civili Brescia, Italy

SecurAcath®
Because Patients Deserve Better™
Find out more at www.securacath.com



ORDERING INFORMATION

NO.	SIZE	QTY.
400130	3F	Box (10 each)
400140	4F	Box (10 each)
400110	5F	Box (10 each)
400150	6F	Box (10 each)
400120	7F	Box (10 each)
400160	8F	Box (10 each)
400180	10F	Box (10 each)
400200	12F	Box (10 each)

Additional SecurAcath® product information

- Not made with natural latex rubber
- MRI Conditional

More information available at www.securacath.com

Download the SecurAcath® app



1. Rowe, et al, "Catheter Securement Impact on PICC-related CLABSI: A University Hospital Perspective" American Journal of Infection Control, Vol. 48, Dec 2020
2. McParlan et al, "Intravascular catheter migration: A cross-sectional and health-economic comparison of adhesive and subcutaneous engineered stabilisation devices for intravascular device securement." Journal of Vascular Access (2020) Jan;21(1):33-38.
3. Pittiruti, et al. "Clinical experience of a subcutaneously anchored sutureless system for securing central venous catheters." British Journal of Nursing (2019) Jan 24;28(2): S4-14.
4. Zerla et al. "Evaluating Safety, Efficacy, and Cost-Effectiveness of PICC Securement by Subcutaneously Anchored Stabilization Device." Journal of Vascular Access 18.3 (2017):238-242.
5. Dolcino et al. "Potential Role of a Subcutaneously Anchored Securement Device in Preventing Dislodgement of Tunneled-Cuffed Central Venous Devices in Pediatric Patients." Journal of Vascular Access 18.6 (2017):540-545.
6. Hughes, Meinir Elen. "Reducing PICC migrations and improving patient outcomes." British Journal of Nursing 23:Sup1, (2014): S12-S18.
7. Paquet, F. et al. "Impact of arm selection on the incidence of PICC complications: results of a randomized controlled trial," JVA (2017) 18(5),408-414.
8. Gibson, C. et al. "Peripherally Inserted Central Catheters: Use at a Tertiary Care pediatric Center," JVIR (2013) 24, 1323-133.
9. Le Royer, C. et al. "Prospective follow-up of complications related to peripherally inserted central catheters", Médecine et Maladies Infectieuses (2013) 43, 350-355.
10. Yamamoto, Alvin J., et al. "Sutureless securement device reduces complications of peripherally inserted central venous catheters." Journal of Vascular and Interventional Radiology 13.1 (2002): 77-81.
11. Cardella et al., Cumulative experience with 1,273 peripherally inserted central catheters at a single institution. JVIR 1996; 7:5-13.
12. Abebe, A., Catheter-Related Bloodstream Infection Review. Hosp Med Clin, Jan. 2014, (3) e32-e49.
13. Jagger, J., Direct Cost of Follow-up for Percutaneous and Mucocutaneous Exposures to At-Risk Body Fluids: Data from Two Hospitals. Adv Expos Prev, 1998. 3(3):25-34.
14. Lee, W.C., Short-term Economic Impact Associated with Occupational Needlestick Injuries Among Acute Care Nurses. Current Medical Research and Opinion, 2005. 21(12): 1915-1922.
15. O'Malley, E.M., Cost of Management of Occupational Exposures to Blood and Body Fluids. Infect Control Hosp Epidemiol. 2007. 28(7):774-782.
16. CDC, Workbook for Designing, Implementing and Evaluating a Sharps Injury Prevention Program. (2008).
17. Centers for Disease Control and Prevention Stop Sticks Campaign www.cdc.gov/niosh/stopsticks
18. Rodríguez Perez, et al, Subcutaneously Anchored Sutureless Device for Securement of Chest Tubes in Neonate with Pleural Effusion: Three Case Reports Case Reports in Paediatrics, March 2020)
19. Barone, et al, Centrally inserted central catheters in preterm neonates with weight below 1500 g by ultrasound-guided access to the brachio-cephalic vein. Journal of Vascular Access, June, 2020
20. Cellini, et al. Guidelines of the Italian Association of Pediatric Hematology and Oncology for the management of the central venous access devices in pediatric patients with onco-hematological disease. The Journal of Vascular Access, Nov 2020
21. Frassanito, et al, Securing CSF catheters to the skin: from sutures and bolt system to subcutaneous anchoring device towards zero complications. Child's Nervous System, June 2020
22. Fitzsimmons, et al, An observational study of the securement of central venous access devices with a subcutaneous anchor device in a paediatric population at a tertiary level hospital. Journal of Vascular Access, May, 2020

DISTRIBUTOR INFO HERE



181 Cheshire Lane, Suite 100
Plymouth, MN 55441 USA
+1.763.225.6699
www.securacath.com

Please refer to instructions for use for indications, contraindications, hazards, warnings, cautions and directions for use.

SecurAcath is indicated for use on vascular access and general/abscess drains in the U.S., other applications are not indicated.

www.securacath.com/patents

Interrad Medical, SecurAcath, For the Life of the Line, and Patients Deserve Better are trademarks of Interrad Medical, Inc.

© 2021 by Interrad Medical, Inc. All rights Reserved.

1329-039 Rev A

CE 0473